

FLORAL PARK OPHTHALMOLOGY

Lawrence F. Jindra, M.D.

5 Covert Avenue

Floral Park, NY 11001

(516) 616-1710

SELECTIVE LASER TRABECULOPLASTY (SLT)

PRE-OPERATIVE & POST-OPERATIVE INSTRUCTIONS:

PRE-OPERATIVE INSTRUCTIONS:

- Take all general meds as usual.
- Take any Glaucoma meds you are on the morning of the procedure as usual.
- Take only Tylenol for pain.
- No eye make-up.
- No earrings or neck jewelry.
- No perfume.
- May eat a light breakfast or lunch but avoid caffeine.
- Must have transportation and someone to accompany you to and from your surgery.
- **Time of arrival for your appointment will be confirmed with you by phone one day before procedure. Your eye will be pre-medicated ½ hour prior to procedure.**

SELECTIVE LASER TRABECULOPLASTY (SLT)

POST-OPERATIVE INSTRUCTIONS:

- Take all general meds as usual.
- Take any Glaucoma meds you are on after the procedure as usual.
- Take only Tylenol for pain.
- No eye make-up for 3 days.
- No heavy lifting or heavy exertion for 3 days.
- Must have transportation and someone to accompany you to and from your surgery.
- Use sunglasses.
- **Please use Prolensa in the operated eye. Use one drop, once a day, for three days starting today, Friday.**
- Use over the counter Lubricant Eye Drops (Soothe, Systane, Refresh etc.) if surgery eye feels a pinching sensation or you feel like something is in the surgery eye. The laser can cause a drying sensation.

EYE MEDICATION INSTRUCTIONS AFTER LASER PROCEDURE

START MEDICATIONS SAME DAY AS LASER PROCEDURE



TAKE PROLENSA

ONE DROP IN:

RIGHT EYE _____ LEFT EYE _____

ONCE A DAY:

FOR ONE WEEK / FOR 3 DAYS / FOR REPEAT SLTS
TAKE FOR 5 DAYS

RETURN TO OFFICE FOR FOLLOW-UP WITHIN: _____.

****Continue taking your eye medications (if you take any) unless directed otherwise by Dr. Jindra.****

**IN CASE OF AN EMERGENCY, FIRST CALL OFFICE.
IF NO ANSWER, PLEASE LISTEN TO THE MESSAGE FOR
FURTHER INSTRUCTIONS.**